College of Natural Sciences and Mathematics

SAFETY CLEARANCE CHECKLIST FOR DEPARTMENT STAFF/FACULTY

_		Location(s):				
Department:	Date of Departure/Retirement:					
				Comments and Notes Relating to Issue	1	
1. Will the Employee Continue to Work in CNSM? (if yes, see the "Reto						
Classroom Instruction and/or Outreach Work?						
	123					
2. Housekeeping (advising/supervising faculty are responsible for their past stu						
Unwanted samples, cultures, and junk items discarded?						
Personal items taken off-campus or discarded? Personal locks removed from all vacated space?						
Personal library of journals and books removed?						
, .						
3. Labeling of Items						
All containers are labeled to indicate contents?	YES	NA	NO	-		
4. Hazardous Material Issues						
Good chemicals transferred to the Issueroom or another's inventory?						
Compressed gas cylinders returned to the Gas Rack?						
Hazardous waste properly labeled and stored?						
Contaminated equipment or surfaces properly cleaned?						
Recombinant or synthetic nucleic acid molecules destroyed or transferred?	YES	NA	NO	-		
5. Radioactive Material Issues						
R.S. Office sent Chair notice of program closure and decommissioning?	YES	NA	NO			
Former use-areas decontaminated and radiation labels removed?	YES	NA	NO			
6. Fire and Life Safety Issues						
No furniture or other items moved to corridor?	VEC	NΙΔ	NO			
No non-code construction or modifications remain?						
7. Property and Equipment Issues (this section must be verified by the app CSULB and Foundation equipment controlled by employee accounted for? Missing Item Report data provided per State requirements? Equipment instruction manuals, etc., given to technicians?	YES	NA	NO NO			
8. Foundation Account Clearance (Faculty Only) (this issue must be sign Foundation Accounts and other College fiscal matters appropriately addressed	-					
Checklist for Facult	ty Allow	ed to I	Retain	ı Space		
1. Continuing Harandous Material Control						
1. Continuing Hazardous Material Control Hazardous material inventory is current?	VEC	NΙΔ	NO			
Work location is adequate – hood, eyewash, shower, HVAC?						
,,						
2. Research Safety						
Adequate "Project Authorization Form(s)" have been submitted?	YES	NA	NO	-		
Comments, Recommendations, and	Require	ments	Regar	rding Checkout Findings		
	•					
Inspectors				Inspection Date(s)		
CLEARANCE APPROVED:	(CLEARA	NCE API	PPROVED:		

Routing When Completed: Department Office, Science Safety Office, Dean (as appropriate)